



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

January 26, 2005

Duane Stone
9424 Waddell Creek Road SW
Olympia WA 98512

Dear Mr. Stone:

Re: Water Right Permit No. **S2-29615**

In compliance with your request, you are hereby granted an extension of time until **February 1, 2015**, to put the water to full beneficial use and file a notice of such action under the above mentioned permit.

Please submit the following when the actual water has been put to full beneficial use:

- ° Proof of Appropriation form filled out and notarized
- ° **\$21.00** check payable to the **Thurston** County Auditor's Office
- ° \$5.00 check payable to the Department of Ecology

Please send both checks to the Department of Ecology and we will forward the Auditor check along with your Certificate to the County Auditor's Office for recording. **Also, the County Auditor is requiring that we have the parcel number for your property added to your Certificate. Please provide the parcel number for the point of withdrawal/diversion and the place of use.**

If you do not expect to have the water put to full beneficial use by **February 1, 2015**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of receipt of this Order**. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal **must** be sent to: Department of Ecology, Water Resources Appeals Coordinator, P.O. Box 47600, Olympia, Washington 98504-7600. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of the date the Order was received** in the same manner described above.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,

Thomas Loranger
Water Resources Section Manager
TL:th (paextension.doc)

January 5, 2005

RECEIVED
DEPT. OF ECOLOGY/SWRD

'05 JAN -7 10:40

Teresa Hanson
Water Resources
Department of Ecology

Dear Ms Teresa Hanson:

Subject: Surface Water Permit No. S2-29615

This is a request for an extension of time (ten years) for permit number S2-29615, to file Proof of Appropriation form that the water has been put to full beneficial use. The extension is necessary due to the permitting process through the County and personal funds. Although the construction of the water system is complete, full beneficial use of the system will not happen until our home is constructed. Even though we do not anticipate the home permitting and construction to take ten years, we do not want to chance cancellation of our water permit.

Enclosed is a check for \$50 for the extension of time and a copy of the permit for reference.

Sincerely,



Duane Stone
9424 Waddell Creek Road SW
Olympia, WA 98512



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 15, 2003

Duane Stone
9424 Waddell Crk Rd SW
Olympia WA 98512

Dear Mr. Stone:

RE: Water Permit No. S2-29615

We have received your Notice of Completion of Construction associated with the above-numbered permit.

Enclosed is a Proof of Appropriation form, which is to be filed **when the water has been put to full beneficial use**. Full beneficial use means that water is being used in agreement with the terms of the permit. You may complete and file the Proof of Appropriation form for less water than authorized in the permit, if the project is complete and less water is being used than anticipated.

If you cannot put the water to full beneficial use by **February 1, 2005**, please contact the Department of Ecology. Permit cancellation may result for failing to timely file the Proof of Appropriation form.

The fees for filing and recording your Water Right Certificate are **\$5.00 payable to the Department of Ecology and \$20.00 payable to the Thurston County Auditor**. Send the Proof of Appropriation form and both checks to the Department of Ecology. Also, the County Auditor is **requiring** that we have the **parcel number** for the point of diversion/withdrawal and the place of use, added to your certificate. **Do not submit your fees and paperwork until you have put the water to full beneficial use**. If you do not expect to have the water put to full beneficial use by **February 1, 2005**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. **You may extend for more than one year at a time at a rate of \$5.00 per year.**

If you have any questions or concerns on the above information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270.

Sincerely,

Teresa Hanson
Water Resources

TH:th (ccokpa.doc)





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 15, 2003

Duane Stone
9424 Waddell Crk Rd SW
Olympia WA 98512

Dear Mr. Stone:

RE: Water Permit No. S2-29615

We have received your Notice of Completion of Construction associated with the above-numbered permit.


Enclosed is a Proof of Appropriation form, which is to be filed **when the water has been put to full beneficial use**. Full beneficial use means that water is being used in agreement with the terms of the permit. You may complete and file the Proof of Appropriation form for less water than authorized in the permit, if the project is complete and less water is being used than anticipated.

If you cannot put the water to full beneficial use by **February 1, 2005**, please contact the Department of Ecology. Permit cancellation may result for failing to timely file the Proof of Appropriation form.


The fees for filing and recording your Water Right Certificate are **\$5.00 payable to the Department of Ecology and \$20.00 payable to the Thurston County Auditor**. Send the Proof of Appropriation form and both checks to the Department of Ecology. Also, the County Auditor is **requiring** that we have the **parcel number** for the point of diversion/withdrawal and the place of use, added to your certificate. **Do not submit your fees and paperwork until you have put the water to full beneficial use**. If you do not expect to have the water put to full beneficial use by **February 1, 2005**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

If you have any questions or concerns on the above information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270.

Sincerely,


Teresa Hanson
Water Resources

TH:th (ccokpa.doc)



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

RECEIVED
DEPT. OF ECOLOGY/SWRD

'03 DEC 10 12:26

☐ BEGINNING OF CONSTRUCTION

☒ COMPLETION OF CONSTRUCTION

NAME <i>DAVE STONE</i>	SURFACE WATER PERMIT NO. <i>52-29615</i>	GROUND WATER PERMIT NO.
DATE CONSTRUCTION BEGAN <i>June 2000</i>	DATE CONSTRUCTION COMPLETED <i>November 2003</i>	DATE COMPLETION EXPECTED

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE

% EQUIPMENT IN PLACE	% MATERIAL IN PLACE	% EXCAVATED	% STRUCTURE
----------------------	---------------------	-------------	-------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED	REASON ABANDONED
----------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☒ completed the actual construction of the work described in the permit.

*CE OK send PA
12/12/03
SC*

[Signature]
Signature of Applicant
9424 Waddell Cr Rd SW
Present Address
Olympia WA 98512
City, State, Zip Code



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

January 31, 2003

Duane Stone
9424 Waddell Creek Road SW
Olympia WA 98512

Dear Mr. Stone:


Re: Water Permit No. S2-29615

In compliance with your request, you are hereby granted an extension of time until **February 1, 2004**, in which you must complete construction and file notice of such action under the above referenced number.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,



J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (ccext.doc)





STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

January 31, 2003

Duane Stone
9424 Waddell Creek Road SW
Olympia WA 98512

Dear Mr. Stone:

Re: Water Permit No. S2-29615

In compliance with your request, you are hereby granted an extension of time until **February 1, 2004**, in which you must complete construction and file notice of such action under the above referenced number.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,

A handwritten signature in dark ink, appearing to read "J. Mike Harris".

J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (ccext.doc)



January 6, 2003

RECEIVED
DEPT. OF ECOLOGY/SW
03 JAN -8 10:48

J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

Dear Mr. Harris

Subject: Surface Water Permit No. S2-29615

This is a request for an extension of time (one year) for permit number S2-29615, to appropriate water from Summit Lake. The extension is necessary because of lack of personal funds to complete the project in the given time frame. Although excavation for the site has been completed, the construction has not been completed.

Enclosed is a check for \$5 for the extension of time and a copy of the permit for reference.

Sincerely,



Duane Stone
9424 Waddell Creek Road SW
Olympia, WA 98512